

Product data sheet

Specifications



Rack Mount, Security and Environmental Appliance, NetBotz, 250A

NBRK0250A

Overview

Presentation	NetBotz Rack Monitor 250 with embedded NMC3
Lead time	Usually in Stock

Main

Product or Component Type	Industrial rack PC
Range of Product	Netbotz
Number of rack unit	1U
Communication Port Protocol	HTTPS HTTP SNMP SNMP v3 Modbus
Provided Equipment	Installation guide Rack Mounting brackets Temperature/Humidity Sensor Installation gasket

General

APC Universal Sensors Supported	0-5V Door contact Dry Contact Fluid Spot Leak Humidity Temperature Smoke
Number of Universal Sensor Ports	6
Number of Sensor Pods Supported	6

Physical

Height	1.7 in (4.4 cm)
Width	1.7 in (43.2 mm)
Depth	2.3 in (5.9 cm)
Net Weight	2.80 lb(US) (1.27 kg)
Mounting Location	Front Rear
Mounting preference	No preference
Mounting Mode	Rack-mounted
Mounting position	Vertical

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental

Ambient Air Temperature for Operation	32...113 °F (0...45 °C)
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	5...149 °F (-15...65 °C)
Storage altitude	0...50000 ft (0...15240 m)

Communications & Management

Communication Network Type	RJ-45 10/100 Base-T
----------------------------	---------------------

Ordering and shipping details

GTIN	731304563365
------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.6 in (6.6 cm)
Package 1 Width	8.9 in (22.6 cm)
Package 1 Length	18.0 in (45.7 cm)
Package weight(Lbs)	6.50 lb(US) (2.95 kg)

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	250
Use Better	
Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration
Use Again	
Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative



